

What is claimed:

1. The method of running a condenser for liquidation of steam or vapors having pipes and which is connected to the steam or vapor input line and to the line discharging condensation from said condenser, a controlling device installed on said steam or vapor input line, a pressure controller connected by a link to said steam or vapor input line and connected to said controlling device, said method consisting of the following steps:

- closing a controlling device when pressure in said steam or vapor input line is reduced,
- opening a controlling device when pressure in said steam or vapor input line is increased.

2. A condenser for liquidation of steam or vapors having pipes and connected to a steam or vapor input line and a line discharging off condensation from said condenser, a controlling device installed on said steam or vapor input line, a pressure controller connected by a link to said steam or vapor input line and connected to said controlling device.

3. The method of running a condenser for liquidation of steam or vapors, said condenser having nipples and connecting to a steam or vapor input line and to a line discharging off condensation from said condenser, a controlling device installed on said steam or vapor input line, a temperature controller connected by a link to said steam or vapor input line and connected to said controlling device, said method consisting of the following steps:

- closing a controlling device when temperature is reduced in the steam or

T0906962-050301

vapor input line,

- opening a controlling device when pressure is increased in the steam or vapor input line.

4. A condenser for liquidation of steam or vapors having nipples and connected to a steam or vapor input line and to a line discharging condensation from said condenser, a controlling device installed on said steam or vapor input line, a temperature controller connected by a link to said steam or vapor input line and connected to said controlling device.

5. The method of running a condenser for liquidation of steam or vapors having pipes and connecting to steam or vapor input line and to a line discharging condensation from said condenser, a controlling device installed on said steam or vapor input line, a pressure controller connected by a link to said line discharging condensation from said condenser and connected to said controlling device, said method consisting of the following steps:

- closing a controlling device when pressure is increased in said line discharging condensation from said condenser,
- opening a controlling device when pressure is reduced in said line discharging condensation from said condenser.

6. A condenser for liquation of steam or vapors having pipes and connected to a steam or vapor input line and to a line discharging condensation from said condenser, a controlling device installed on said steam or vapor input line, a pressure controller connected by a link to said line discharging condensation from said condenser and connected to said controlling device.

7. The method of running a condenser for liquidation of steam or vapors, said condenser having pipes and which is also connected to a steam or vapor input line and to a line discharging condensation from said condenser, a controlling device installed on said steam or vapor input line, a temperature controller connected by a link to said line discharging condensation from said condenser and connected to said controlling device, said method consisting of the following steps:

- closing a controlling device when temperature is increased in said line discharging condensation from condenser,
- opening a controlling device when temperature is reduced in said line discharging condensation from said condenser.

8. A condenser for liquidation of steam or vapors having pipes and connected to a steam or vapor input line and a line discharging condensation from said condenser, a controlling device installed on said steam or vapor input line, a temperature controller connected by a link to said line discharging condensation from said condenser and connected to said controlling device.

09806967-010001